


# IN-STRUCTURE DAMPING AND ENERGY DISSIPATION



Revision 0: July, 2001

## DESIGN GUIDELINES

Trevor E Kelly, S.E.  
Holmes Consulting Group



© Holmes Consulting Group Ltd

Level 1  
11 Aurora Terrace  
P O Box 942  
Wellington  
New Zealand

Telephone 64 4 471 2292

Facsimile 64 4 471 2336

[www.holmesgroup.com](http://www.holmesgroup.com)

**The Holmes Group of Companies**

<b>Company</b>	<b>Offices In</b>	<b>Services</b>
<b>Holmes Culley Holmes Consulting Group</b>	San Francisco, CA New Zealand (Auckland, Wellington, Christchurch, Queenstown)	Structural Engineering Structural Engineering
<b>Holmes Fire &amp; Safety</b>	New Zealand (Auckland, Wellington, Christchurch) Australia (Sydney)	Fire Engineering Safety Engineering
<b>Optimx Holmes Composites</b>	New Zealand (Wellington) San Diego, CA	Risk Assessment Structural Composites

Copyright © 2001. This material must not be copied, reproduced or otherwise used without the express, written permission of Holmes Consulting Group.

## DISCLAIMER

The information contained in these Design Guidelines has been prepared by Holmes Consulting Group Limited (*Holmes*) as standard Design Guidelines and all due care and attention has been taken in the preparation of the information therein. The particular requirements of a project may require amendments or modifications to the Design Guidelines.

Neither Holmes nor any of its agents, employees or directors are responsible in contract or tort or in any other way for any inaccuracy in, omission from or defect contained in the Design Guidelines and any person using the Design Guidelines waives any right that may arise now or in the future against Holmes or any of its agents, employees or directors.



## CONTENTS

<b>1</b>	<b>INTRODUCTION</b>	<b>1</b>
1.1	OUR COMPANY INVOLVEMENT	1
1.2	CURRENT STATUS OF THESE GUIDELINES	1
1.3	BACKGROUND	2
1.4	MARKET PARTICIPANTS	3
1.5	HOW GOOD IS THE TECHNOLOGY?	3
1.6	IMPEDIMENTS TO USE OF THE TECHNOLOGY	4
1.7	AVAILABLE DESIGN TOOLS	5
1.8	SCOPE OF THESE GUIDELINES	5
<b>2</b>	<b>PRINCIPLES OF IN-STRUCTURE DAMPING</b>	<b>7</b>
2.1	DAMPING OF STRUCTURES	7
2.2	EQUIVALENT VISCOUS DAMPING	8
2.3	EFFECT OF DAMPING ON RESPONSE	9
<b>3</b>	<b>DAMPER PROPERTIES</b>	<b>12</b>
3.1	HYSTERETIC METAL YIELDING	12
3.1.1	DESCRIPTION OF DAMPER	12
3.1.2	DAMPER PROPERTIES	14
3.1.2.1	GENERIC HYSTERETIC PROPERTIES	15
3.1.2.2	SPECIFIC BRACE PROPERTIES	17
3.1.3	SUMMARY OF HYSTERETIC DAMPERS	21
3.2	HYSTERETIC FRICTION	21
3.2.1	DESCRIPTION OF DAMPER	21
3.2.2	DAMPER PROPERTIES	22
3.2.3	SUMMARY OF FRICTION DAMPER	22
3.3	VISCOUS	24
3.3.1	DESCRIPTION OF DAMPER	24
3.3.2	DAMPER PROPERTIES	25
3.3.3	INTERACTION OF STRUCTURE WITH VISCOUS DAMPER	28
3.3.4	SUMMARY OF VISCOUS DAMPER	30
3.4	VISCO-ELASTIC	30
3.4.1	DESCRIPTION OF DAMPER	30
3.4.2	DAMPER PROPERTIES	32
3.4.3	SUMMARY OF VISCO-ELASTIC DAMPER	32
3.5	OTHER TYPES OF DAMPER	35
3.6	DAMPING WIND LOADS	35



<b>4</b>	<b>ANALYSIS OF DAMPING DECAY</b>	<b>37</b>
4.1	PROCEDURE FOR EVALUATING DAMPING DECAY	37
4.2	VISCOUS DAMPING IN THE STRUCTURE	38
4.3	10 STORY MODEL	39
4.4	DAMPING VARIATIONS	41
4.5	DAMPING DECAY CURVES	41
4.6	EVALUATION OF DAMPING	43
4.6.1	STRUCTURE WITHOUT DAMPING DEVICES	43
4.6.2	HYSTERETIC DAMPERS	44
4.6.3	FRICTION DAMPERS	46
4.6.4	VISCOUS DAMPERS	47
4.6.5	VISCO-ELASTIC DAMPERS	48
4.7	SUMMARY OF DAMPING DECAY	49
<b>5</b>	<b>TIME HISTORY ANALYSIS</b>	<b>51</b>
5.1	OBJECTIVE	51
5.2	PROTOTYPE BUILDINGS	51
5.3	SEISMIC INPUT	52
5.3.1	BASIS FOR SELECTING RECORDS	53
5.4	DAMPER VARIATIONS	56
5.5	TIME HISTORY EVALUATION PROCEDURE	58
5.6	RESPONSE OF BUILDING WITHOUT DAMPERS	59
5.6.1	EFFECT OF VISCOUS DAMPING	60
5.7	DAMPER EFFECTIVENESS	62
5.7.1	EFFECT ON DRIFTS	62
5.7.2	EFFECT ON BASE SHEAR	68
5.7.3	EFFECT ON FLOOR ACCELERATIONS	72
5.8	EQUIVALENT VISCOUS DAMPING	73
5.9	OPTIMUM DEVICES	75
5.10	SUMMARY OF PERFORMANCE	76
<b>6</b>	<b>PRACTICAL DEVICE PROPERTIES</b>	<b>80</b>
6.1	HYSTERETIC DEVICES	80
6.2	FRICTION DEVICES	81
6.3	VISCOUS DAMPERS	82
6.4	VISCO-ELASTIC DEVICES	85
<b>7</b>	<b>DAMPING DESIGN PROCEDURES</b>	<b>87</b>
7.1	APPLICABLE CODES	87
7.2	SECTION OF DEVICE TYPE AND PROPERTIES	87
7.3	DEVICE DESIGN	91
7.4	EVALUATION OF PERFORMANCE	92
7.4.1	NSP FOR DISPLACEMENT DEPENDENT DEVICES	93
7.4.2	NSP FOR VELOCITY DEPENDENT DEVICES	94
7.4.3	NDP FOR ALL DEVICES	94
7.5	EXAMPLE 10 STORY BUILDING	94



7.5.1	NDP RESPONSE	95
7.5.2	NSP RESPONSE	97
7.6	DESIGN RECOMMENDATIONS	100
<b>8</b>	<b>SUMMARY</b>	<b>102</b>
8.1	IN-STRUCTURE DAMPING AND ENERGY DISSIPATION	102
8.2	DAMPER TYPES AND PROPERTIES	103
8.3	DAMPING DECAY	103
8.4	TIME HISTORY ANALYSIS	104
8.5	DESIGN PROCEDURES	105
8.6	RECOMMENDATIONS	106
<b>9</b>	<b>BIBLIOGRAPHY</b>	<b>107</b>
<b>A</b>	<b>TIME HISTORY RESULTS</b>	<b>A-1</b>



## LIST OF FIGURES

FIGURE 2-1 EFFECT OF DAMPING ON DECAY .....	7
FIGURE 2-2 EQUIVALENT VISCOUS DAMPING .....	8
FIGURE 2-3 EFFECT OF DAMPING ON RESPONSE SPECTRUM .....	10
FIGURE 2-4 FEMA SPECTRUM DEFINITION .....	11
FIGURE 3-1 CONFIGURATIONS OF HYSTERETIC DAMPERS .....	13
FIGURE 3-2 YIELDING DAMPER HYSTERESIS .....	14
FIGURE 3-3 DAMPING AS A FUNCTION OF BRACE PROPERTIES .....	16
FIGURE 3-4 HIGH STIFFNESS AND STRENGTH HYSTERETIC DAMPERS .....	17
FIGURE 3-5 DAMPING IN YIELDING BRACE AT 0.5% DRIFT .....	19
FIGURE 3-6 DAMPING IN YIELDING BRACE AT 2.5% DRIFT .....	20
FIGURE 3-7 FRICTION DAMPER HYSTERESIS .....	22
FIGURE 3-8 FRICTION DAMPER FORCE < STRUCTURE FORCE .....	23
FIGURE 3-9 FRICTION DAMPER FORCE > STRUCTURE FORCE .....	23
FIGURE 3-10 PHASING OF DISPLACEMENT AND VELOCITY .....	24
FIGURE 3-11 DAMPER COEFFICIENT, C .....	26
FIGURE 3-12 DAMPER EXPONENT, $\alpha$ , FOR CONSTANT C .....	26
FIGURE 3-13 DAMPER EXPONENT, $\alpha$ , FOR CONSTANT DAMPER FORCE .....	27
FIGURE 3-14 VELOCITY CUT-OFF ON VISCOUS DAMPER .....	27
FIGURE 3-15 LOADING FREQUENCY .....	28
FIGURE 3-16 DISPLACEMENT AMPLITUDE .....	28
FIGURE 3-17 HYSTERETIC DAMPER IN PARALLEL WITH VISCOUS DAMPER .....	29
FIGURE 3-18 COUPLING OF VISCOUS DAMPER AND STRUCTURE $\alpha = 1.0$ .....	30
FIGURE 3-19 VISCO-ELASTIC DAMPER .....	31
FIGURE 3-20 FORCE-DISPLACEMENT RELATIONSHIP FOR VISCO-ELASTIC DEVICE .....	31
FIGURE 3-21 STORAGE MODULUS OF VISCO-ELASTIC DAMPER AT 21-26°C .....	33
FIGURE 3-22 LOSS MODULUS OF VISCO-ELASTIC DAMPER AT 21-26°C .....	33
FIGURE 3-23 TEMPERATURE DEPENDENCE OF VISCO-ELASTIC DAMPER .....	34
FIGURE 3-24 STRAIN DEPENDENCE OF VISCO-ELASTIC DAMPER .....	34
FIGURE 3-25 FREQUENCY DEPENDENCE OF VISCO-ELASTIC DAMPER .....	35
FIGURE 4-1 ANALYTICAL DECAY CURVE .....	37
FIGURE 4-2 RAYLEIGH DAMPING .....	39
FIGURE 4-3 MODEL USED FOR DECAY STUDIES .....	40
FIGURE 4-4 PUSHOVER CURVE FOR EXAMPLE 10 STORY BUILDING .....	40
FIGURE 4-5 DAMPING DECAY CURVES .....	42
FIGURE 4-6 NO DEVICES FITTED DECAY CURVE .....	44
FIGURE 4-7 BEAM MOMENTS .....	44
FIGURE 4-8 HYSTERETIC DAMPERS FITTED DECAY CURVE .....	45
FIGURE 4-9 FRICTION DAMPERS FITTED DECAY CURVE .....	46
FIGURE 4-10 VISCOUS DAMPERS FITTED DECAY CURVE .....	48
FIGURE 4-11 VISCO-ELASTIC DAMPERS FITTED DECAY CURVE .....	49
FIGURE 5-1 PROTOTYPE BUILDINGS .....	51
FIGURE 5-2 5% DAMPED SPECTRUM OF EL CENTRO TIME HISTORY .....	55
FIGURE 5-3 5% DAMPED SPECTRUM OF NORTHRIDGE TIME HISTORY .....	55



FIGURE 5-4 5% DAMPED SPECTRUM OF FREQUENCY SCALED EL CENTRO TIME HISTORY .....	56
FIGURE 5-5 DAMPER DISTRIBUTION WITH HEIGHT .....	58
FIGURE 5-6 TIME HISTORY OF ROOF DISPLACEMENT (EL CENTRO RECORD).....	60
FIGURE 5-7 EFFECT OF VISCOUS DAMPING ON DRIFTS .....	61
FIGURE 5-8 VISCOUS DAMPING EFFECT ON BASE SHEAR (EL CENTRO).....	61
FIGURE 5-9 SUMMARY OF ALL DAMPERS : UNIFORM DISTRIBUTION .....	65
FIGURE 5-10 SUMMARY OF ALL DAMPERS : TRIANGULAR DISTRIBUTION.....	66
FIGURE 5-11 SUMMARY OF ALL DAMPERS : REVERSE TRIANGULAR DISTRIBUTION .....	67
FIGURE 5-12 EFFECT OF DAMPERS ON TOTAL BASE SHEAR.....	69
FIGURE 5-13 EFFECT OF DAMPERS ON FRAME SHEAR.....	69
FIGURE 5-14 HYSTERETIC DAMPER SHEAR (EL CENTRO).....	70
FIGURE 5-15 FRICTION DAMPER SHEAR (EL CENTRO) .....	71
FIGURE 5-16 VISCOUS DAMPER SHEAR (EL CENTRO) .....	71
FIGURE 5-17 VISCO-ELASTIC DAMPER SHEAR (EL CENTRO) .....	72
FIGURE 5-18 FLOOR ACCELERATIONS.....	73
FIGURE 5-19 EQUIVALENT DAMPING (EL CENTRO).....	74
FIGURE 6-1 HYSTERETIC DAMPER DISPLACEMENT .....	81
FIGURE 6-2 FRICTION DAMPER DISPLACEMENT .....	82
FIGURE 6-3 VISCOUS DAMPER VELOCITY.....	83
FIGURE 6-4 VISCOUS DAMPER FORCE .....	83
FIGURE 6-5 TAYLOR DEVICES 225 KN VISCOUS DAMPERS.....	84
FIGURE 6-6 TAYLOR DEVICES 5850 KN AND 9000 KN VISCOUS DAMPERS.....	85
FIGURE 6-7 VISCO-ELASTIC DAMPER FORCE.....	86
FIGURE 6-8 VISCO-ELASTIC DAMPER DISPLACEMENT .....	86
FIGURE 7-1 5% DAMPED SPECTRUM FOR EVALUATION .....	95
FIGURE 7-2 NDP RESPONSE DETAILS .....	96
FIGURE 7-3 PUSHOVER CURVES .....	97
FIGURE 7-4 NSP TARGET DISPLACEMENTS METHOD 1 .....	98
FIGURE 7-5 NSP TARGET DISPLACEMENTS METHOD 2 .....	98
FIGURE A-1 EFFECTIVENESS OF HYSTERETIC DAMPERS EQ1 .....	A-7
FIGURE A-2 EFFECTIVENESS OF HYSTERETIC DAMPERS EQ2.....	A-8
FIGURE A-3 EFFECTIVENESS OF HYSTERETIC DAMPERS EQ3.....	A-9
FIGURE A-4 EFFECTIVENESS OF FRICTION DAMPERS EQ1.....	A-10
FIGURE A-5 EFFECTIVENESS OF FRICTION DAMPERS EQ2.....	A-11
FIGURE A-6 EFFECTIVENESS OF FRICTION DAMPERS EQ3.....	A-12
FIGURE A-7 EFFECTIVENESS OF VISCOUS DAMPERS EQ1 .....	A-13
FIGURE A-8 EFFECTIVENESS OF VISCOUS DAMPERS EQ2 .....	A-14
FIGURE A-9 EFFECTIVENESS OF VISCOUS DAMPERS EQ3 .....	A-15
FIGURE A-10 EFFECTIVENESS OF VISCO-ELASTIC DAMPERS EQ1 .....	A-16
FIGURE A-11 EFFECTIVENESS OF VISCO-ELASTIC DAMPERS EQ2 .....	A-17
FIGURE A-12 EFFECTIVENESS OF VISCO-ELASTIC DAMPERS EQ3 .....	A-18



## LIST OF TABLES

TABLE 2-1 DAMPING REDUCTION FACTORS .....	9
TABLE 3-1 DAMPING PROVIDED BY BRACE OPTIONS .....	18
TABLE 3-2 EFFECT OF NECKED BRACE .....	18
TABLE 4-1 DAMPER VARIATIONS .....	41
TABLE 4-2 DAMPING IN STRUCTURE WITHOUT DAMPING .....	43
TABLE 4-3 HYSTERETIC DAMPERS .....	45
TABLE 4-4 FRICTION DAMPERS .....	46
TABLE 4-5 VISCOUS DAMPERS .....	47
TABLE 4-6 VISCO-ELASTIC DAMPERS .....	48
TABLE 4-7 SUMMARY OF DAMPING DECAY .....	49
TABLE 5-1 DESIGN PARAMETERS FOR PROTOTYPE BUILDINGS .....	52
TABLE 5-2 SCALE FACTORS FOR VARIOUS EARTHQUAKES .....	54
TABLE 5-3 VARIATIONS IN DAMPER PROPERTIES .....	57
TABLE 5-4 MAXIMUM RESPONSE QUANTITIES - NO DAMPERS .....	59
TABLE 5-5 OPTIMUM DEVICES FOR 3 STORY BUILDING .....	77
TABLE 5-6 OPTIMUM DEVICES FOR 5 STORY BUILDING .....	78
TABLE 5-7 OPTIMUM DEVICES FOR 10 STORY BUILDING .....	79
TABLE 6-1 STEEL AREA FOR HYSTERETIC DAMPERS ACTING AS BRACES .....	80
TABLE 7-1 DAMPER PROPERTIES TO REDUCE DRIFT > 15% .....	89
TABLE 7-2 DAMPER PROPERTIES TO REDUCE DRIFT > 30% .....	89
TABLE 7-3 EXAMPLE DEVICES IN 10 STORY BUILDING .....	96
TABLE 7-4 COMPARISON OF NDP AND NSP RESULTS .....	99
TABLE A-1 RESPONSE RATIOS FOR TIME HISTORY ANALYSES .....	A-1